



OVEN / PROOFER COMBINATION



Oven/Proofer, Electric, Oven (3) 18" x 26" or (6) 13" x 18" Pan Capacity, Proofer (9) 18" x 26" or (18) 13" x 18" Pan Capacity, Solid State Controls, Tempered Glass Field Reversible Oven Doors, Indicator Light for Thermostats, Manual Fill Proofer, V-Air Technology, Separate Heat & Humidity Controls for Proofer, 3" Locking Casters, Stainless Steel Construction, 5.13kW, cETLus, NSF



PROJECT _____

ITEM NO. _____

NOTES _____

MODEL NUMBER: **QB-3/9 , QBT-3/9**



PICTURED WITH TOUCHSCREEN



FEATURES

- ☐ Temperatures reaching 425°F (218°C)
- ☐ V-Air Technology for Even Baking
- ☐ **QB Series**
 - Manual Fill Proofer
 - Separate Times for Oven & Proofer
 - Indicator Light for Thermostat
- ☐ **QBT Series**
 - Intuitive Touch Screen
 - Innovative Proofer Design with Automist Technology

CONSTRUCTION

- ☐ Cool-To-Touch Doors
- ☐ Magnetic Door Latches
- ☐ Heavy Duty Casters
- ☐ Overflow Drain & Pan
- ☐ Stainless Steel Construction
- ☐ Left or Right Hinged

OPTIONS & ACCESSORIES

- ☐ **QB Series**
 - Internal Steam for Oven
 - Automist Humidity
 - Warmer in Proofer
 - Two Speed Fan
 - Wire Shelf
 - Water Filter (recommended)
- ☐ **QBT Series**
 - Water Filter (recommended)
 - Wire Shelf

CLEARANCES

- ☐ 4" [All Sides of Unit]

WARRANTY

- ☐ One Year Labor & Two Year Parts



Model	Crated Weight	Overall Dimensions			Interior Dimensions						Pan Capacity (18"x26")		Shelf Spacing	
					Oven			Proofer						
		W	D	H	W	D	H	W	D	H	Oven	Proofer	Oven	Proofer
QB-3/9	590 (131)	36 1/8" (918)	28 5/8" (727)	77 3/4" (1975)	26 1/4" (667)	20 1/4" (514)	15" (381)	26 1/4" (667)	20 1/4" (514)	33 1/2" (851)	3	9	4" (102)	3 1/2" (89)
QBT-3/9	630 (286)	38 1/2" (978)	28 5/8" (727)	77 3/4" (1975)	26" (660)	18 1/2" (470)	14 1/2" (368)	26" (660)	18 1/2" (470)	33 3/8" (848)	3	9	4" (102)	3 1/2" (89)

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

KCL & REVIT DRAWINGS UPON REQUEST

REVISION C | 09/08/22

Follow Us



NU-VU

5600 13th Street, Menominee, MI 49858

906.863.4401 | 800.338.9886 | www.nu-vu.com








PROJECT _____

ITEM NO. _____

NOTES _____

MODEL NUMBER: **QB-3/9 , QBT-3/9**

DRAWINGS




INTERIOR DIMENSIONS:

OVEN – 15"H X 26-1/4"W X 20-1/4"D

PROOFER – 33-1/2"H X 26-1/4"W X 20"

DOOR SWING:

34-3/8"



ELECTRICAL SYSTEM

Model	Water Inlet	Electrical System *ground wire not included						
		Volts	Phases	Amps	kW	Wires*	Hz	NEMA
QB-3/9	1/4" (6)	208	1/3	32/21	5.135	2/3	60	-
		240	1/3	28/18	5.135	2/3	60	
QBT-3/9	1/4" (6)	208	1/3	32/21	5.2	3/4	60	-
		240	1/3	28/18	5.2	3/4	60	

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

KCL & REVIT DRAWINGS UPON REQUEST

REVISION D | 1/4/2023

Follow Us



NU-VU

5600 13th Street, Menominee, MI 49858

906.863.4401 | 800.338.9886 | www.nu-vu.com

